## Geosynthetic Institute

475 Kedron Avenue Folsom, PA 19033-1208 USA TEL (610) 522-8440 FAX (610) 522-8441



June 25, 2024

Mr. Michael Pratt Geotesting Express, LLC 125 Nagog Park Acton, MA 01720

Re: GAI-LAP

Dear Mr. Michael Pratt:

**REVISION** 

The Geosynthetic Institute (GSI) is pleased to acknowledge Geotesting Express LLC on its repertoire of Geosynthetic Accreditation Institute's-Laboratory Accreditation Program (GAI-LAP) accredited tests. This letter should serve as notification that Geotesting Express LLC located in Acton, MA. Geotesting Express is currently accredited for the following sixty-three (63) test methods until June 30, 2025.

- 1. ASTM D374 Test Methods for Thickness of Solid Electrical Insulation
- 2. ASTM D413 Test Methods for Rubber Property Adhesion to Flexible Substrate
- 3. ASTM D751 Test Methods for Coated Fabrics (thickness)
- 4. ASTM D792 Test Method for Specific Gravity and Density of Plastics by Displacement
- 5. ASTM D882 Test Method for Tensile Properties of strip tensile
- 6. ASTM D1004 Test Method for Initial Tear Resistance of Plastic Film and Sheeting
- 7. ASTM D1204 Test Method for Linear Dimensional Changes of Nonrigid Thermoplastic Sheeting or Film at Elevated Temperature
- 8. ASTM D1238 Test Method for Flow Rates of Thermoplastics by Extrusion Plastometer
- 9. ASTM D1505 Test Method for Density of Plastics by the Density Gradient Technique
- 10. ASTM D1593 Specification for Nonrigid Vinyl Chloride Plastic Sheeting (thickness)
- 11. ASTM D1603 Test Method for Carbon Black in Olefin Plastics
- 12. ASTM D1777 Test Method for Measuring the Thickness of Textile Materials
- 13. ASTM D3015 Standard of Practice for Microscopic Examination of Pigment Dispersion in Plastic Compounds
- 14. ASTM D3776 Test Method for Mass Per Unit Area (Weight) or Woven Fabric
- 15. ASTM D3786 Test Method for Hydraulic Burst Strength of Knitted Goods and Nonwoven Fabrics (Diaphragm Bursting Strength Tester Method)
- 16. ASTM D3787 Test Method for Bursting strength using CRT Bell Burst Test
- 17. ASTM D4218 Test Method for Carbon Black in Olefin Plastics (Muffle Furnace)

- 18. ASTM D4491 Test Methods for Water Permeability of Geotextiles by Permittivity
- 19. ASTM D4533 Test Method for Index Trapezoidal Tearing Strength of Geotextiles
- 20. ASTM D4595 Standard Test Method for Tensile Properties of Geotextiles by Wide Width Strip Method
- 21. ASTM D4632 Test Method for Grab Breaking Load and Elongation of Geotextiles
- 22. ASTM D4716 Test Method for Determining the (In-Plane) Flow Rate per Unit Width and Hydraulic Transmissivity of a Geosynthetic Using a Constant Head
- 23. ASTM D4751 Test Method for Determining Apparent Opening Size of a Geotextile
- 24. ASTM D4833 Test Method for Index Puncture Resistance of Geotextiles, Geomembranes and Related Products
- 25. ASTM D4884 Test Method for Seam Strength of Sewn Geotextiles
- 26. ASTM D4885 Test Method for Determining Performance Tensile Strength of Geomembranes Using Wide Strip Testing
- 27. ASTM D5034 Test Method for Breaking Strength and Elongation (Grab Method)
- 28. ASTM D5035 Test Method for Breaking Strength and Elongation (Strip Method)
- 29. ASTM D5199 Test Method for Measuring Nominal Thickness of Geotextiles and Geomembranes
- 30. ASTM D5261 Test Method for Measuring Mass per Unit Area of Geotextiles
- 31. ASTM D5321 Test Method Using Direct Sheer Method to Determine Soil and Geosynthetic Friction
- 32. ASTM D5596 Test Methods for Microscopic Evaluation of the Dispersion of Carbon Black in Polyolefin Geosynthetics
- 33. ASTM D5884 Test Method for the Tearing Strength of Internally Reinforced Geomembranes
- 34. ASTM D5887 Test Method to Measure Index Flux of Saturated GCLs
- 35. ASTM D5890 Standard Test Method for Swell Index of Clay Mineral Component of Geosynthetic Clay Liners
- 36. ASTM D5891 Standard Test Method for Fluid Loss of Clay Component of GCL
- 37. ASTM D5993 Test Method for Measuring the Mass Per Unit Area of GCL
- 38. ASTM D5994 Test Method for Measuring the Core Thickness of Textured Geomembranes
- 39. ASTM D6140 Test Method to Determine Asphalt Retention of Paving Fabrics used in Asphalt Paving
- 40. ASTM D6214 Test Method for Determining the Integrity of Field Seams Used in Joining Geomembranes by Chemical Fusion Methods
- 41. ASTM D6241 Test Method for the Static Puncture Strength of Geotextiles and Geotextile Related Products Using a 50-mm Probe
- 42. ASTM D6243 Test Method for Determine the Internal and Interface Shear Resistance of Geosynthetic Clay Liners by the Direct Shear Method
- 43. ASTM D6364 Test Method for Determining the Short-Term Compression Behavior of Geosynthetics
- 44. ASTM D6392 Test Method for Determining the Integrity of Nonreinforced GM Seams using Thermo Fusion Method

DCN: GAI-LAP-20-96 June 25, 2024 Page 2 of 3

- 45. ASTM D6496 Test Method to Determine the Average Bonding Peel Strength Between Layers of Needle-Punched GCL.
- 46. ASTM D6566 Test Method for Measuring Mass per Unit Area of Turf Reinforcement Mats
- 47. ASTM D6636 Test Method for Determining Ply Adhesion Strength of reinforced Geomembranes
- 48. ASTM D6637 Test Method for determining Tensile Properties of Geogrids by single or multi rib Tensile Method
- 49. ASTM D6693 Test Method of Determining Tensile Properties of Nonreinforced Polyethylene and Nonreinforced Flexible Polypropylene GM
- 50. ASTM D6766 Test Method for Evaluation of Hydraulic Properties of Geosynthetic Clay Liners Permeated with Potentially Incompatible Liquids
- 51. ASTM D6768 Test Method for Tensile Strength of GCL
- 52. ASTM D7003 Test Method for Strip Tensile Properties of reinforced GM
- 53. ASTM D7004 Test Method for Grab Tensile Properties of Reinforced GM
- 54. ASTM D7005 Test Method for Determining the Bond Strength of Geocomposites
- 55. ASTM D7179 Test Method for Determining Geonet Breaking Force
- 56. ASTM D7408 Standard Test for Non-resin PVC geomembrane seams
- 57. ASTM D7466 Test Method for Measuring the Asperity Height of Textured Geomembranes
- 58. ASTM D7737 Test Method for Individual Geogrid Junction Strength
- 59. ASTM D7747 Test Method for Determining Integrity of Seams for reinforced Geomembranes using Strip Tensile Method
- 60. ASTM D7749 Test Method for Determining Integrity of Seams for reinforced Geomembranes using Grab Method
- 61. ASTM C165 Standard Test Methods for Measuring Compressive Properties of Thermal Insulations
- 62. ASTM C203 Standard Test Methods for Breaking Load and Flexural Properties of Block-Type Thermal Insulation
- 63. ASTM C303 Standard Test Method for Dimensions and Density of Preformed Block and Board-Type Thermal Insulation

Any questions regarding your accreditation should be directed to George Koerner at (610) 522-8440. Once again congratulation and thank you for participating in the GAI-LAP.

Regards,

George R. Koerner, Ph.D., P.E. & CQA Director

DCN: GAI-LAP-20-96 June 25, 2024 Page 3 of 3